

Quick Start Guide



SILENT ANGEL

# Munich Streamer M1T



## Digital Music Streamer

The Sole Digital Path to Hi-Fi Audio Experience



**SILENT ANGEL**

© 2021 Thunder Data Co. Ltd. All rights reserved.



[support@thunder-data.com](mailto:support@thunder-data.com)



<http://www.silent-angel-audio.com/>

1





2






- ① ③
- ② ④
- ⑤ DAC
- ⑥ DAC
- ⑦ DAC
- ⑧ M1

- ⑨ Simple peripherals
- ⑩ Simple peripherals
- ⑪ High-speed peripherals
- ⑫ DAC
- ⑬ USB
- ⑭ N8



DAC

## I2S Digital Audio Output



- PIN1:SDATA-/DSDL-
- PIN2:GND
- PIN3:SDATA+/DSDL+
- PIN4:BCK+/DSD CLK+
- PIN5:GND
- PIN6:BCK-/DSD CLK-
- PIN7:LRCK-/DSD R-
- PIN8:GND
- PIN9:LRCK+/DSD R+
- PIN10:NC
- PIN11:GND
- PIN12:NC
- PIN13:NC
- PIN14:NC
- PIN15:NC
- PIN16:NC
- PIN17:GND
- PIN18:NC
- PIN19:+3.3V OUTPUT

"I2S" is a digital audio output port that supports native differential digital audio signal with HDMI cable.

